



الهيئة العامة لشؤون
الزراعة والثروة السمكية
وحدة المشتريات

التاريخ : 10:07 14-07-2021

نموذج طلب أسعار

العملة:	KWD-دينار كويتي	رقم المورد	:
رقم طلب الأسعار		اسم المورد	:
2794		مركز العمل	:
طريقة الشراء- رقم		موضوع الطلب	:
الشراء المباشر-		تاريخ الطرح	:
رقم طلب الشراء		صلاحية الأسعار من	:
	تاريخ الاغلاق		:
	الى		:

يرجى تدوين أسعار البنود التالية اذا كانت متوافرة كلها أو بعضها لديكم وارسال النموذج اليينا في موعد اقصاه مع الأخذ في الاعتبار الشروط المرفقة .
ملاحظات :

ملاحظات Remarks	القيمة الكلية Total	سعر الوحدة U.P	الكمية Qty	الوحدة UOM	مواصفات الصنف Item Description	رقم المادة Item Code	م
	KWD-دينار كويتي		1	قطعة	مجهر رقمي مع شاشة (microscope)	6550-AF-0011066	1
							اجمالي القيمة بالارقام
							اجمالي القيمة بالحروف

هاتف / 22252860
فاكس / 22252795

* ضرورة ارفاق كتالوجات في حالة توريد اجهزة او معدات . * في حالة الصيانة : توفير قطع غيار معتمدة حسب الشروط والمدة المطلوبة ووجود مهندسين مختصين بصيانة الاجهزة. * ضرورة الالتزام بالكميات والعبوات المطلوبة بنموذج طلب الاسعار . وفي حالة التعديل في اي بند سوف يتم استبعاد تسعيرة البند المعدل فقط . * في حالة طلب عينات : يجب ارفاق ايصال استلام عينة ضمن مستندات الممارسة وسوف يستبعد العطاء في حالة عدم ارفاقه كما لا تقبل العينات بعد تاريخ الاغلاق. * تقديم تعهد كتابي بالالتزام بهذه الشروط ويجب تقديم شهادة من وزارة الشؤون الاجتماعية والعمل تفيد الالتزام بقرار مجلس الوزراء بشأن تحديد نسبة العمالة الوطنية رقم 408 لسنة 2002 .	مدة التوريد هاتف فاكس الختم و التوقيع
--	--

الموظف المختص

المسئول

المشتريات

Home / Featured 2 / Accu-Scope 3000 Digital Microscope Package



Accu-Scope 3000 Digital Microscope Package

★★★★★ 1 Review

SKU: 3001-6HDS

\$2,665.00 ~~\$3,211.00~~

تقریباً
د. د. / -

* REVIEWS

- Choose With or Without Screen
- Plan Achromat Objectives
- All Metal Gears
- LED Illumination
- 5 Year Mechanical & Electrical Warranty

Camera Option AU-300-HD AU-300-HDS AU-600-HD

AU-600-HDS

1

+

-

Add to cart

Request Quote



الوصف

Description

Accessories

Brochure

Reviews

Accu-Scope 3000 is our best selling all around laboratory microscope and can now be paired with your choice of digital camera. This package includes all necessary adapters and software for capturing digital video and images, annotations, measurements, and more! The microscope comes complete with trinocular head and c-mount adapter. The 10x eyepieces provide you with a 20mm wide field of view while the infinity plan achromat 4x, 10x, 40x, and 100x oil objectives provide flat crisp images. The LED illumination system provides little to no heat and avoids downtime for bulb changes.

①

You can choose your Excelis camera model for this microscope, all models output HDMI to a monitor or USB to a computer. There are two base camera models the AU-300 or AU-600 the main difference is that the AU-600 has 6.0 M.P. and a slightly higher quality camera sensor while the AU-300 has 5.0 M.P. Both cameras have the option for an 11.6" HD retina display screen mounted to the camera for an all in one streamlined solution. If you would like the screen please choose from the AU-300-HDS or AU-600-HDS option. Any of these camera models come with software to capture images / videos, do measurements, extended depth of focus, annotations, stitching, and more!

مواصفات
المجهر الرقمي

ACCU-SCOPE 3000 DIGITAL VIDEO MICROSCOPE SPECIFICATIONS

Head:	Trinocular, 30° inclined and rotatable 360°
Eyepieces:	HWF Plan 10x eyepiece, 20mm field of view with built-in diopter adjustment; a pointer is standard in one eyepiece
Nosepiece:	Reversed, quadruple
Objectives:	Infinity Plan Achromat 4x, 10x, 40xR*, 100xR oil* (*spring-loaded)
Condenser:	N.A. 1.25 Abbe condenser with options for phase and darkfield sliders
Stage:	Mechanical stage, 140 x 132mm with X-Y movement range of 76 x 50mm
Illumination:	3 watt LED with variable intensity control Universal power supply 110-220v
Focusing:	Coaxial focusing system with an adjustable tension control and upper limit stop to prevent accidental damage to slides; all metal gears, brass fine focus gear
Accessories:	Dust cover, immersion oil & instruction manual included
Warranty:	5 Year Mechanical & Electrical

* REVIEWS

AU-300-HD EXCELIS LITE SPECIFICATIONS

Resolution (Live):	1920 x 1080 - Captured 5 M.P.
Sensor:	1/2.5" (0.5x C-mount recommended); APTINA MT9P031
Frame Rate:	HDMI (30fps); USB 2.0 (15fps)
Image Capture:	High Speed SD Card (4GB)
Video Capture:	HDMI: 1080p, 30fps to SD Card USB 2.0: 1080p, 15fps to PC or Mac
Exposure Time:	0.001 sec - 10.0 sec
White Balance:	Auto
Settings:	Gain, Gamma, Saturation, Contraction
Built-in Software:	Cloud 1.0
PC Imaging Software:	<i>CaptaVision</i> Imaging Software (for PC only; Mac OS not supported) Advanced Camera Controls: live/still image measurement and annotation, flat field correction; extended depth of focus (focus stacking); image stitching; HDR (High Dynamic Range) function Image Types: JPEG, BMP, TIFF and RAW
Output Modes:	Mode 1: USB 2.0 / Mode 2: HDMI
System Compatibility:	Windows XP, Vista 7 and 8, and 10 (32 or 64-bit) Mac OS X (for image transfer to Mac OS X only)



Capture:	USB 2.0: 1080p, 30fps to PC or Mac
Exposure Time:	0.001sec—10.0 sec
Settings:	Auto white balance, Gain, Gamma, Saturation, Contraction
PC Imaging Software:	CaptaVision Imaging Software (for PC only; Mac OS not supported) Advanced Camera Controls: live/still image measurement and annotation; flat field correction; extended depth of focus (focus stacking); image stitching; fluorescence image settings; fluorescence multi-color channel merge; HDR (High Dynamic Range) function; Image Types: JPEG, BMP, TIFF and RAW
Output Modes:	Mode 1: USB 2.0 / Mode 2: HDMI
Software Compatibility:	Windows XP, Vista, 7, 8, 10 (32 or 64 bit) Mac OSX (for image transfer to Mac OSX only)

اسم المنتج هو
ac bit ✓

AU-600-HDS EXCELIS CAMERA SPECIFICATIONS

Screen:	Mountable 11.6" Retina HD Display (mounting hardware included)
Resolution (Live):	1920X1080 6 M.P.
Sensor:	1/2.7" (0.5x C-mount recommended); SONY IMX236
Frame Rate:	HDMI (60fps); USB 2.0 (30fps)
Image Capture:	High Speed SD Card (8GB)
Video Capture:	HDMI: 1080p, 60fps to SD Card USB 2.0: 1080p, 30fps to PC or Mac
Exposure Time:	0.001 sec - 10.0 sec
White Balance:	Auto
Settings:	Gain, Gamma, Saturation, Contraction
Built-in Software:	Cloud 1.0
PC Imaging Software:	CaptaVision Imaging Software (for PC only; Mac OS not supported) Advanced Camera Controls: live/still image measurement and annotation, flat field correction; extended depth of focus (focus stacking); image stitching; fluorescence image settings; fluorescence multi-color channel merge; HDR (High Dynamic Range) function Image Types: JPEG, BMP, TIFF and RAW
Output Modes:	Mode 1: USB 2.0 / Mode 2: HDMI
System Compatibility:	Windows XP, Vista 7 and 8, 10 (32 or 64-bit) Mac OS X (for image transfer to Mac OS X only)
System Requirements:	Intel processor (Core 2 Duo or higher); 2GB memory or more; USB 2.0 Hi-Speed port
Power Supply:	DC12V/1A
Warranty:	1 year

* REVIEWS